
## Improved Self-Oiling Windmill

With Double Gears Running in Oil

## Windmill-Parts.com Oiled Windmill-Parts.com A24 504-3234110 - Oiled A24 30482340101



THE AUTO-OILED AFRICATION made Better and Better as experience has shown the possibility of improvement. The AUTO-OILED AERMOTOR of today is a wonderfully reliable and efficient windmill.

Windmid-Parts.com 214 504-8234

At This The Galvanized
Windmidt Per FIGHMet
214 504-8234
completely
covers the
gears and the
oil reservoir

Windmill-Parts.com 214 504-8234

Windmill-Parts.com 214 504-8234

## THE GEARS RUN IN OIL

Eweryn Breating.com
is constantly
and
automatically
oiled

Windmill-Parts.com

Windmill-Parts.com

214 504-8234

## THE RING OILER

shown above supplies oil constantly to Vindmill Parts com 214 504-8234 pitman bearings and to the guide wheel

Windmill-Parts.com
214 to he34s teel windmill and-8the
steel tower. It has always been most progressive and most skill-ful in developing improvements.

Windmill-Parts.com

The Auto-oiket 04824 motor after nine full years of the severest tests in every part of the world, has fully demonstrated its great superiority.

Aermotor prices are always low, Windmill based on cost of production illustrates.com a small margin of profit on a very large output. The Aermotor purchaser has the advantage of being able to buy a superior article at a very reasonable price.

The Aermotor Quantity is always pleased to have his neighbors and friends notice his windmill. The Aermotor is the most widely advertised, most generally used and most favorably known windmill. Windmill-Parts.com Windmill-Parts.com

The Mindmill-Parts.com

The Market Mindmill-Parts.com

The Market Mindmill-Parts.com

In Mindmill-Parts.com

Windmill-Parts.com

Windmill-Parts.com

Windmill-Parts.com

The Market Mindmill-Parts.com

who is strong finance all years

and is managed by men who know the windmill business from the ground up and who are familiar with every phase of the development of the Aermotor business.

214 504-8234