




Windmill-Parts.com
214 504-8234


19



12



15



2

Windmill-Parts.com
214 504-8234




53




82

Windmill-Parts.com
214 504-8234



1



5

Windmill-Parts.com
214 504-8234



85




74




75

Windmill-Parts.com
214 504-8234



8




21

Windmill-Parts.com
214 504-8234



13

Windmill-Parts.com
214 504-8234



10




78



80

Windmill-Parts.com
214 504-8234



7



Windmill-Parts.com

54 1/2



214 504-8234

16




Windmill-Parts.com

214 504-8234

44



46



43



Windmill-Parts.com


214 504-8234




89



95



18



52



83



6 1/2



6

Windmill-Parts.com

214 504-8234

Windmill-Parts.com

214 504-8234



9




97



59

Windmill-Parts.com

214 504-8234



Windmill-Parts.com

214 504-8234



76





49



60

Windmill-Parts.com

214 504-8234



4

Windmill-Parts.com

214 504-8234



55

Windmill-Parts.com
214 504-8234



79

Windmill-Parts.com
214 504-8234



70

69


Windmill-Parts.com
214 504-8234



71

86


Windmill-Parts.com
214 504-8234



3

Windmill-Parts.com
214 504-8234

Windmill-Parts.com
214 504-8234



68

Windmill-Parts.com
214 504-8234



72A

Windmill-Parts.com
214 504-8234



63A



64A

Windmill-Parts.com
214 504-8234



54

17

PARTS-PRICE LIST FOR 6½ FOOT MILL MODEL 4060

- Revised March 1, 1943

In ordering Repair Parts, be sure to give Name and Part No.

Symbol & Part No.	Page Shown	Description	Weight	Price
WB-1A	8	Lower Ball Race - Formerly WB-201	4 lbs.	\$ 1.80
WB-1X	not shown	Lower Ball Race - (3 Post).	4 lbs. 6 ozs.	1.95
WB-2	8	Lower Tower Casting (4 Post), Furnished with Grease Cup, Formerly WB-202	6 lbs. 4 ozs.	1.50
WB-2X	not shown	Lower Tower Casting (3 Post), Furnished with Grease Cup, Formerly WB-202	3 lbs. 4 ozs.	1.00
WB-3A	9	Crank Case, Furnished with 214 504-8234 and Fill Plugs, Set Screw, Bushings & Pipe - Formerly WC-203	42 lbs. 4 ozs.	15.00
WB-4	7	Sheave Shield, Furnished with Sheaves, Rivets and Cotter complete.	2 lbs. 3 ozs.	1.40
WB-5A	8	Upper Ball Race - Formerly WB-205	6 lbs. 10 ozs.	2.50
WB-6	7	Wheel Shaft Bushing - Long, 7/8 x 2-7/8	2¼ ozs.	.30
WB-6½	7	Wheel Shaft Bushing - Short, 7/8 x 1-5/8 - Formerly WB-6	1¼ ozs.	.20
WB-7	8	Pitman Guide	2 lbs. 13 ozs.	1.30
WB-8	8	Crank Gear, 6-7/16 O.D.	2 lbs. 13 ozs.	2.00
WB-9	7	Pinion, 2" O.D., 7 P.-43 T.	1 lb. 12 ozs.	1.00
WB-10	8	Wheel Hub, Furnished with Shaft, Keys, Oil Collar, Cotter & Washer.	11 lbs. 4 ozs.	5.60
WB-11	7	Upper Vane Hinge.	8 ozs.	.20
WB-12	8	Lower Vane Hinge.	2 lbs. 10 ozs.	.60
WB-13	8	Latch	8 ozs.	.20
WB-14	7	Sheave, 2" O.D.	6 ozs.	.25
WB-15	8	Brake	1 lb. 8 ozs.	.60
WB-16	7	Piston Swivel Eye, Furnished with Plate and Bolts 3/8 x 2-3/4.	1 lb. 6 ozs.	1.10
WB-17	9	Upper Pump Pole Casting - Formerly V-17	1 lb. 2 ozs.	.35
WB-18	7	Inner Control Wire Swivel, Furnished with Cotter Key.	4 ozs.	.35
WB-19A	8	Outer Control Wire Swivel, Bolted together with 2 Bolts and WB-79 - Formerly WB-19	1 lb. 8 ozs.	1.70
WB-21	8	Oil Ring Assembly, Furnished with Gasket, Vane	5 lbs. 14 ozs.	1.10
WB-22	7	Lower Piston Rod Guide, Furnished with Bolt Formerly WB-222	1 lb.	.40
WB-42	not shown	Oil Ring Assembly, Furnished with Bracket & Ring Complete	8 ozs.	.80
WB-43	7	Oil Ring, #10 Wire, 5" O.D.	2 ozs.	.15
WB-44	7	Oil Ring Guide, Furnished complete with Bracket and Clip	4 ozs.	.30
WB-46	7	Oil Ring Trough, Furnished complete with Spout.	2 ozs.	.20
WB-49	7	Cover Gasket.	1 oz.	.15
WB-50	8	Wheel Shaft 7/8 x 1-7/8, Furnished with WB10.	11 lbs. 4 ozs.	5.60
WB-51	7	Crank Gear Shaft, 7/8 x 5-3/4	1 lb.	.50
WB-52	7	Pitman Guide Hinge Pin, 3/4 x 7½, Furnished with Cotters.	9 ozs.	.30

PARTS-PRICE LIST FOR 6½ FOOT MILL MODEL 4060

Symbol & Part No.	Page	Description	Weight	Price
WB-53	8	Pitman, 7/8 x 6½ C.	1 lb. 10 ozs.	\$ 1.10
WB-54A	9	Piston Rod, 7/16 x 40 U.H., Furnished with Lock Nut.	2 lbs. 1 oz.	.50
WB-54½	7	Piston Swivel Eye Plate, 3/8 x 1-1/8 x 2-1/8, Furnished with WB-16.	1 lb. 6 ozs.	1.10
WB-55	7	Vane Hinge Pin, 7/16 x 11-1/2, Furnished with Cotters	8 ozs.	.20
WB-56	7	Brake Rod, 7/16, Furnished with Nut.	7 ozs.	.40
WB-58	7	Sheave Pin - Drilled, 5/16 x 1-1/4, Furnished with Cotter.	1 oz.	.06
WB-59	7	Sheave Pin - Not Drilled, 5/16 x 1-5/8	1 oz.	.04
WB-60	7	Latch Pitman, 7/16 x 5½, Furnished with Cotters. . .	6 ozs.	.20
WB-63A	9	Vane Stem Angle for One Sheet Vane (N.S.) 7/8 x 1-3/8 x 62"	5 lbs. 8 ozs.	1.50
WB-64A	9	Vane Stem Truss Angle, 3/4 x 3/4 x 62"	3 lbs.	1.00
WB-68	9	Wheel Spoke, 5/32 x 1, Furnished with Knee, Formerly B-68.	2 lbs. 13 ozs.	.80
WB-69	9	Water Bin, 3/16 x 1 x 49½ - Formerly B-69.	2 lbs. 7 ozs.	.65
WB-70	9	Inner Rim, 5/32 x 1 x 24½ - Formerly B-70.	1 lb. 1 oz.	.30
WB-71	9	Sail, 214 504-8234 with Sail Clips.	4 lbs. 15 ozs.	.60
WB-72A	9	Vane Sheet (One Piece), #24 x 20 x 40", Formerly WB-272.	6 lbs. 8 ozs.	2.60
WB-74	8	Sail Clip - Large - Formerly E-74.	3 ozs.	.10
WB-75	8	Sail Clip - Small - Formerly E-75.	1 oz.	.06
WB-76	7	Oil Collar (Wire), 1-1/16 O.D. x ½"	1 oz.	.15
WB-78	8	Lower Chain Extension, 3/16" x 4½"	4 ozs.	.10
WB-79A	9	Swivel Ball (3 & 1/2") with 2-3/4 Formerly WB-279A.	1 lb. 2 ozs.	.60
WB-80	8	Upper Chain End, 1/8 x 1 x 3½.	2½ ozs.	.06
WB-82	8	Governor Spring, 5/32 x 1-3/8 x 11-3/4	2 lbs. 2 ozs.	.60
WB-83	7	Brake Spring, 13/16 O.D. x 3"	2 ozs.	.15
WB-85A	8	Swivel Chain, 5/32" x 34-3/4"	13 ozs.	.50
WB-86A	9	Mill Pipe, 1½ x 25-3/4	6 lbs. 4 ozs.	1.20
WB-89	7	Ball Spacers, 1/8 G.P. x .7, Furnished with 15 Balls	1 oz.	1.20
WB-95	7	Steel Balls, 15 per set, 1/2", Furnished with 15 Ball Spacers.	1 oz.	1.20
WB-97	7	Woodruff Key, 1/4"	1 oz.	.08

PARTS-PRICE LIST FOR 8 FOOT MILL MODEL 4080

- Revised March 1, 1943

In ordering Repair Parts, be sure to give Name and Part No.

Symbol & Part No.	Page Shown	Description	Weight	Price
WC-1A	8	Lower Ball Race - Formerly WC-201.	5 lbs. 6 ozs.	\$ 2.00
WC-1X	not shown	Lower Ball Race (3 Post)	5 lbs. 12 ozs.	2.15
WC-2A	8	Lower Tower Casting (4 Post), Furnished with Grease Cup - Formerly WC-202	6 lbs. 14 ozs.	1.50
WC-2X	not shown	Lower Tower Casting (3 Post), Furnished with Grease Cup - Formerly WC-202-3	5 lbs. 8 ozs.	1.90
WC-3A	9	Crank Case, Furnished with Drain & Fill Plugs, Set Screw, Bushings, & Pipe - Formerly WC-203	75 lbs. 6 ozs.	22.00
WC-4	7	Sheave Shield, Furnished with Rivets and Cotter complete - Formerly AC4A	3 lbs. 8 ozs.	1.80
WC-5A	8	Upper Ball Race, Formerly WC-205	7 lbs. 8 ozs.	3.30
WC-6	7	Wheel Shaft Bushing - Long, 1-1/8 x 3-7/8" Formerly K-6	6 ozs.	.35
WC-6½	7	Wheel Shaft Bushing - Short, 1-1/8 x 2-1/8"	3 ozs.	.20
WC-7	8	Pitman Guide	4 lbs. 4 ozs.	1.40
WC-8	8	Crank Gear, 1-3/4 F. 7-13/16" O.D. 6 P.-42 T.	7 lbs. 8 ozs.	2.50
WC-9	7	Pinion, 1-7/8 F. 3 8 O.D. 6P.-16T.	2 lbs. 3 ozs.	1.20
WC-10V	8	Wheel Hub, with Shaft, Key, Oil Collar, Cotter, and Washer.	18 lbs. 4 ozs.	7.00
WC-11	7	Upper Vane Hinge, Formerly AC-11	1 lb.	.25
WC-12	8	Lower Vane Hinge, Formerly AC-12	4 lbs.	.80
WC-13	8	Latch.	14 ozs.	.25
WC-14	7	Sheave - Formerly E-14	8 ozs.	.30
WC-15	8	Brake.	3 lbs. 2 ozs.	.75
WC-16	7	Piston Swivel Eye, Bolts 3/8" x 2-3/4"	1 lb. 10 ozs.	1.20
WC-17	9	Upper Pump Pole Casting.	1 lb. 4 ozs.	.40
WC-18	7	Inner Control Wire Swivel - Formerly AC-18	8 ozs.	.40
WC-19A	8	Outer Control Wire Swivel, Assembled with 2 bolts and WC-79A Formerly WB-19	2 lbs. 4 ozs.	1.80
WC-21	8	Crank Case Cover, Furnished with Gasket.	7 lbs. 4 ozs.	1.50
WC-22	7	Lower Piston Rod Guide, Furnished with 3/8 x 1/2" Formerly WC-222.	1 lb. 12 ozs.	.50
WC-42	not shown	Oil Ring Assembly, Furnished with Bracket, Guide & Oil Ring.	8 ozs.	.90
WC-43	7	Oil Ring, #10 x 6" O.D.	2 ozs.	.20
WC-44	7	Oil Ring Guide, Furnished with Bracket, Com.	6 ozs.	.30
WC-46	7	Oil Ring Trough, Furnished complete with Spout	4 ozs.	.20
WC-49	7	Cover Gasket	1 oz.	.15
WC-50	8	Wheel Shaft, 1-1/8 x 14-3/8, Furnished with Hub, Key & Oil Collar.	18 lbs. 10 ozs.	7.00
WC-51	7	Crank Gear Shaft, 1-1/8 x 214 504-8234	2 lbs.	.60
WC-52	7	Pitman Guide Hinge Pin, 3/4 x 7/8, Furnished with Cotter Pins	14 ozs.	.35
WC-53	8	Pitman, 1" x 8 C.C.	3 lbs. 13 ozs.	1.30

PARTS-PRICE LIST FOR 8 FOOT MILL MODEL 4080

Symbol & Part No.	Page Shown	Description	Weight	Price
WC-54A		Hub for 50 U.H., Furnished		
WC-54 1/2	7	H ^{214 504-8234} Piston Swivel Eye Plate, 1/2 x 1 1/2 x 1-3/4, See WC-16	4 lbs. 4 ozs.	\$.75
WC-55	7	Vane Hinge Pin, 9/16 x 1 1/2, Furnished with Cotters	2 lbs.	1.20
WC-56	7	Brake Rod, 1/2 x 1 1/2, Furnished with Cotter and Nut.	1 lb.	.25
WC-58	7	Sheave Pin (Drilled) RH Rivet, 3/8 x 2, Furnished with Cotter	12 ozs.	.45
WC-59	7	Sheave Pin (Not Drilled), 3/8 x 2-1/8.	1 oz.	.06
WC-60	7	Latch Pitman, 1" with Cotters.	10 ozs.	.04
WC-63A	9	Vane Stem Angle for One Piece Vane Sheet, 1 1/2 x 2 x 6'4" - Painted.	9 lbs. 2 ozs.	.25
WC-64A	9	Vane Stem Truss Angle, 1 1/2 x 2 x 6'4"	7 lbs. 10 ozs.	2.10
WC-68	9	Wheel Spoke, Furnished with Knee - Formerly E-68	3 lbs. 12 ozs.	2.20
WC-69	9	Outer Rim (5 Section Wheel) 1 x 3/16 x 49 1/2	2 lbs. 7 ozs.	.90
WC-70	9	Inner Rim (5 Section Wheel) 1 x 5/32 x 25"	1 lb.	.70
WC-71	9	Sail, #21 Gauge, 13 1/2 x 5 1/2 x 29", Furnished with Clips	3 lbs.	.30
WC-72A	9	Vane Sheet (1 piece), 24" x 48" - Formerly WB-272.	8 lbs. 4 ozs.	.70
WC-74	8	Sail Cloth #21 Gauge U.S. - Formerly	2 lbs.	3.00
WC-75	8	Sail Clip - Small - each Formerly E-75	1 oz.	.10
WC-76	7	Oil Collar, #12 Wire - 1-1/8 I.D. x 5/8"	1 oz.	.06
WC-78	8	Lower Chain Extension, 1/2 x 1 x 4 1/2" long.	6 ozs.	.15
WC-79A	9	Swivel Bail, 3/16 x 5/8 x 15 1/2 x 6-5/8 wide Formerly WC-279.	1 lb. 6 ozs.	1.00
WC-80	8	Upper Chain End, 3/16 x 1 x 3 1/2	3 ozs.	.06
WC-82	8	Governor Spring, 1 1/2 x 3/8" long, 74 Coils	2 lbs. 12 ozs.	.90
WC-83	7	Brake Spring, 29/32 dia. x 2-7/8 long.	4 ozs.	.15
WC-85A	8	Swivel Chain, 3/16" x 44-5/8" long	1 lb. 2 ozs.	.90
WC-86A	9	Mill Pipe, 2" Gas Pipe 31 1/2" long, Formerly WC-286.	9 lbs. 4 ozs.	2.10
WC-89	7	Ball Spacers per set of 15, 5/8" G.P. x 25/32, Furnished with 15 Balls, Formerly WC-289.	1 lb. 2 ozs.	1.70
WC-95	7	Steel Balls per set of 15, 5/8", Furnished with 15	1 lb. 2 ozs.	1.70
WC-97	7	Woodruff Key, 5/16 x 1-3/8	1 oz.	.08